


ADHESIVES • "QUICK REFERENCE GUIDE" • COLOR PASTE

POLYESTERS		Consistency	Curing Time	Location
Transparent Flowing	Light Amber (translucent), fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Syrup	10-20 minutes	Indoor
Transparent Knife Grade	Light Amber (translucent), non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
Buff Flowing	Beige colored, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Syrup	10-20 minutes	Indoor
Buff Knife Grade	Beige colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
White Flowing	White colored, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Syrup	10-20 minutes	Indoor
White Knife Grade	White colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
Black Flowing	Black colored, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Syrup	10-20 minutes	Indoor
Black Knife Grade	Black colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
Travertine Knife Grade	Red-Beige colored, non-sagging, fast setting adhesive and filler for travertine & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
Limestone Knife Grade	Gray-Beige colored, non-sagging, fast setting adhesive and filler for limestone & porous stones. Cured with 2%-4% paste hardener.	Paste	10-20 minutes	Indoor
Water-Clear Flowing	Water Clear (fully translucent) adhesive and filler for marble & porous stones. Cured with 1%-3% clear liquid hardener (MEKP).	Syrup	2-4 hours	Indoor
Water-Clear Knife Grade	Translucent (milky), non-sagging adhesive and filler for marble & porous stones. Cured with 1%-3% clear liquid hardener (MEKP).	Paste	2-4 hours	Indoor

POLY-EPOXIES		Consistency	Curing Time	Location
Poly-Epoxy Flowing	Translucent, fast setting, adhesive utilizing Polyester and Epoxy chemistry for granite & dense stones. Cured with 2%-4% BPO.	Syrup	20-30 minutes	Indoor
Poly-Epoxy Knife Grade	Translucent, non-sagging, adhesive utilizing Polyester and Epoxy chemistry for granite & dense stones. Cured with 2%-4% BPO.	Paste	20-30 minutes	Indoor

ACRYLICS		Consistency	Curing Time	Location
Quick Set Flowing	Water Clear (fully translucent), fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% paste hardener.	Syrup	10-20 minutes	Indoor / Outdoor
Quick Set Knife Grade	Water Clear (translucent), non-sagging, fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% paste hardener.	Paste	10-20 minutes	Indoor / Outdoor
Super Flowing	Water Clear (fully translucent), fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% paste hardener.	Oil	20-40 minutes	Indoor / Outdoor
Penetrating	Water Clear (fully translucent), water-thin adhesive for filling thin cracks and consolidating slabs. Cured with 1%-3% paste hardener.	Water	3-6 hours	Indoor / Outdoor
ACRY-TYTE	Clear or Colored, fast setting adhesive for laminating natural and engineered stone. Adhesive & catalyst mix as dispensed from tube.	Paste	10-20 minutes	Indoor / Outdoor

EPOXIES		Consistency	Curing Time	Location
E-1000 (Transparent Flowing)	Light Amber (translucent) adhesive and filler for granite & dense stones. Cured in a 1:1 RATIO of resin to hardener	Syrup	2-4 hours	Indoor / Outdoor
E-1010 (Transparent Knife Grade)	Light Amber (translucent), non-sagging adhesive and filler for granite & dense stones. Cured in a 1:1 RATIO of resin to hardener	Paste	2-4 hours	Indoor / Outdoor
E-2000 (Transparent Flowing)	Light Amber (translucent) adhesive and filler for granite & dense stones. Cured in a 2:1 RATIO of resin to hardener	Syrup	3-6 hours	Indoor / Outdoor
E-2010 (Transparent Knife Grade)	Light Amber (translucent), non-sagging adhesive and filler for granite & dense stones. Cured in a 2:1 RATIO of resin to hardener	Paste	3-6 hours	Indoor / Outdoor
E-5000 (Water-Clear Flowing)	Water Clear (fully translucent) adhesive and filler for granite & dense stones. Cured in a 2:1 RATIO of resin to hardener	Syrup	8-16 hours	Indoor / Outdoor
E-5010 (Water-Clear Knife Grade)	Translucent (milky), non-sagging adhesive and filler for granite & dense stones. Cured in a 2:1 RATIO of resin to hardener	Paste	8-16 hours	Indoor / Outdoor

COLORING PASTES				
				
Coloring pigments dispersed in a resin solution. Excellent for use with all of our adhesive formulations for perfect color matching.				

