

**ADHESIVES • "QUICK REFERENCE GUIDE" • COLOR PASTE**

<b>POLYESTER</b>		Consistency	Curing Time	Location	*Shelf Life
Transparent Flowing	Light Amber (translucent), fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Syrup	10-20 minutes	Indoor	4 YEARS
Transparent Knife Grade	Light Amber (translucent), non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	4 YEARS
SILVER Flowing	Light Amber (translucent), fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Syrup	15-20 minutes	Indoor	4 YEARS
SILVER Knife Grade	Light Amber (translucent), non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	15-20 minutes	Indoor	4 YEARS
BRONZE Flowing	Light Amber (translucent), fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Syrup	15-25 minutes	Indoor	4 YEARS
BRONZE Knife Grade	Light Amber (translucent), non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	15-25 minutes	Indoor	4 YEARS
Buff Flowing	Beige colored, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Syrup	10-20 minutes	Indoor	1 YEAR
Buff Knife Grade	Beige colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	1 YEAR
White Flowing	White colored, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Syrup	10-20 minutes	Indoor	1 YEAR
White Knife Grade	White colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	1 YEAR
Black Knife Grade	Black colored, non-sagging, fast setting adhesive and filler for marble & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	1 YEAR
Travertine Filler	Red-Beige colored, non-sagging, fast setting adhesive and filler for travertine & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	1 YEAR
Limestone Knife Grade	Gray-Beige colored, non-sagging, fast setting adhesive and filler for limestone & porous stones. Cured with 2%-4% BPO.	Paste	10-20 minutes	Indoor	1 YEAR
Water-Clear Flowing	Water Clear (fully translucent) adhesive and filler for marble & porous stones. Cured with 1%-3% clear liquid hardener (MEKP).	Syrup	2-4 hours	Indoor	1 YEAR
Water-Clear Knife Grade	Translucent (milky), non-sagging adhesive and filler for marble & porous stones. Cured with 1%-3% clear liquid hardener (MEKP).	Paste	2-4 hours	Indoor	1 YEAR
<b>POLY-EPOXY</b>		Consistency	Curing Time	Location	*Shelf Life
Poly-Epoxy Knife Grade	Translucent, non-sagging, adhesive utilizing Polyester and Epoxy chemistry for granite & dense stones. Cured with 2%-4% BPO.	Paste	20-30 minutes	Indoor	1-2 YEARS
<b>GOLD</b>		Consistency	Curing Time	Location	*Shelf Life
GOLD Flowing	Clear (translucent), fast setting adhesive for natural and engineered stones. Strong as epoxies. Cured with 1%-3% BPO.	Syrup	10-20 minutes	Indoor / Outdoor	1-2 YEARS
GOLD Knife Grade	Clear (translucent), non-sagging fast setting adhesive for natural and engineered stones. Strong as epoxies. Cured with 1%-3% BPO.	Paste	10-20 minutes	Indoor / Outdoor	1-2 YEARS
<b>ACRYLIC</b>		Consistency	Curing Time	Location	*Shelf Life
Quick Set Flowing	Water Clear (fully translucent), fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% BPO.	Syrup	10-20 minutes	Indoor / Outdoor	1 YEAR
Quick Set Knife Grade	Water Clear (translucent), non-sagging, fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% BPO.	Paste	10-20 minutes	Indoor / Outdoor	1 YEAR
Acrylic 60/40	Water Clear (fully translucent), fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% BPO.	Syrup	10-20 minutes	Indoor / Outdoor	1 YEAR
Super Flowing	Water Clear (fully translucent), fast setting adhesive and filler for granite & dense stones. Cured with 1%-3% BPO.	Oil	20-40 minutes	Indoor / Outdoor	1 YEAR
Penetrating	Water Clear (fully translucent), water-thin adhesive for filling thin cracks and consolidating slabs. Cured with 1%-3% BPO.	Water	3-6 hours	Indoor / Outdoor	1 YEAR
<b>EPOXY</b>		Consistency	Curing Time	Location	*Shelf Life
E-1000 (Transparent Flowing)	Light Amber (translucent) adhesive and filler for granite & dense stones. Mixed in a 1:1 RATIO.	Syrup	2-4 hours	Indoor / Outdoor	1-2 YEARS
E-1010 (Transparent Knife Grade)	Light Amber (translucent), non-sagging adhesive and filler for granite & dense stones. Mixed in a 1:1 RATIO.	Paste	2-4 hours	Indoor / Outdoor	1-2 YEARS
E-2000 (Transparent Flowing)	Light Amber (translucent) adhesive and filler for granite & dense stones. Mixed in a 2:1 RATIO.	Syrup	3-6 hours	Indoor / Outdoor	1-2 YEARS
E-2010 (Transparent Knife Grade)	Light Amber (translucent), non-sagging adhesive and filler for granite & dense stones. Mixed in a 2:1 RATIO.	Paste	3-6 hours	Indoor / Outdoor	1-2 YEARS
E-5000 (Water-Clear Flowing)	Water Clear (fully translucent) adhesive and filler for granite & dense stones. Mixed in a 2:1 RATIO.	Syrup	8-16 hours	Indoor / Outdoor	1-2 YEARS
E-5010 (Water-Clear Knife Grade)	Translucent (milky), non-sagging adhesive and filler for granite & dense stones. Mixed in a 2:1 RATIO.	Paste	8-16 hours	Indoor / Outdoor	1-2 YEARS
<b>COLORING PASTE</b>		Consistency	Curing Time	Location	*Shelf Life
Coloring Paste	Coloring pigments dispersed in a resin solution. Excellent for use with all of our adhesive formulations for perfect color matching. 10 Colors.	Liquid	n/a	Indoor / Outdoor	2-3 YEARS
<p><i>*All shelf life estimates are for unopened containers stored indoors at room temperature 60° - 75°F (15° - 23°C). These are estimates only and are not a guarantee. High heat and cold temperatures will adversely affect the shelf life. Avoid storage in direct sunlight and where freeze/thaw conditions may exist.</i></p>					