Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



 Product Identifier:
 Gold Evolution Colored Hardener – Perfect White

 Product Description/Use:
 Organic Peroxide Activator

 Product Restrictions:
 None Known

 Product Code:
 33104

 Chemical Family:
 Organic Peroxide


 Company:
 **24 Hour Emergency Telephone Number:**

Superior Stone Products, Inc. 8580 Byron Commerce Drive Byron Center, MI 49315 Phone: (616) 583-0176

# Section II – Hazards Identification

GHS Hazard Classification(s):

**Eye Irritation:** Category 2B **Reproductive Toxicity:** Category 1B **Short-term (acute) aquatic:** Category 1



**CHEMTREC 800-424-9300** 



Symbols:

# Signal Word(s): Danger

Hazard Statements:

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

H341 - Suspected of causing genetic defects.

### Precautionary Statements: Prevention

P203: Obtain, read, and follow all safety instructions before use.

P261: Avoid breathing fumes/gas/vapor. P264+265: Wash hands and face thoroughly after

handling. Do not touch eyes.

## Precautionary Statements: Response:

P302+352 - IF ON SKIN: wash with plenty of soap and water.

P333+313 - If skin irritation or rash occurs: Get medical help.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P337+317 - If eye irritation persists: Get medical help.

Hazards not otherwise classified: None known.

H360: May damage fertility or the unborn child.H400: Very toxic to aquatic life.H410: Very toxic to aquatic life with long lasting effects.

P272: Contaminated work clothing should not be allowed out of the workplace.P273: Avoid release to the environment.P280: Wear protective gloves/protective clothing/eye protection/face protection.

P318 - if exposed or concerned, get medical advice. P362+364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.



Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



### Section III – Composition/Information on Ingredients

Substance/Mixture: Mixture

Ingredient	<u>% (By Weight)</u>	CAS#	EINECS No.
Dibenzoyl Peroxide	<15%	94-36-0	202-327-6
Dibutyl Phthalate	1-15%	84-74-2	201-557-4
Epoxy Resins	0-15%	25068-38-6	500-033-5
2,3-epoxypropyl o-totyl ether	0-5%	2210-79-9	218-645-3

### Section IV – First Aid Measures

If Swallowed: Rinse mouth. DO NOT INDUCE VOMITING. Call a POISON CENTER or doctor.

Skin Contact: Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

**If Inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER OR doctor/physician if symptoms persist.

**Eyes:** Flush with copious amounts of water for at least 10 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Seek immediate medical aid.

Most important symptoms and effects, both acute and delayed: May cause and allergic skin reaction. Causes eye irritation.

### **Section V - Fire Fighting Measures**

Suitable Extinguishing Media: Water Spray, foam, dry chemical, carbon dioxide or any extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media: None known.

**Special Fire Fighting Procedures:** Fire may produce irritation and/or toxic gasses. In the event of fire and/or explosion, do not breathe fumes. May cause sensitization and/or irritation by skin contact. Firefighters and others exposed to vapors or products of combustion should wear self-contained breathing apparatus and full protective clothing. Equipment should be thoroughly decontaminated after use. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Products of Combustion: Toxic fumes may be formed.

## Section VI - Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

**For Non-Emergency Personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Do not touch or walk through spilled material. Provide adequate ventilation.

**For Emergency Responders:** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment to avoid contact with skin, eyes or clothing. See also the information for non-emergency personnel.

**Methods and Materials for Containment and Cleaning Up:** Stop leak if without risk. Move containers from spill area. Clean with detergents. Avoid solvent cleaners. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Take up mechanically, placing in appropriate containers for disposal. Dispose of via a licensed waste disposal contractor. Do not allow into any sewer, on the ground or any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



# Section VII - Handling and Storage

Precautions for Safe Handling

**Protective Measures:** Put on appropriate personal protection equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not breath vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined space unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks open flame or any other ignition source. Empty containers retain product residue and can be hazardous. Do no reuse container.

Advice on General Occupational Health: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for Safe Storage, Including and Incompatibles:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Segregate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do no store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Refer to the product label and/or technical data sheet for further information. Do not store in temperatures greater than 100°F.

Shelf Life: One (1) year when stored at room temperatures.

## Section VIII - Exposure Controls/Personal Protection

Likely Routes of Exposure: Dermal, Ingestion. Control Parameters Occupational exposure Limits:

	United States				Australia		
	OSHA-PEL	ACGIH-	TLV	NIOS	H-REL	SV	VA
	TWA	TWA	STEL	TWA	STEL	TWA	STEL
Dibenzoyle Peroxide	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	N/A	5 mg/m <sup>3</sup>	N/A	5 mg/m <sup>3</sup>	N/A
Dibutyl Phthalate	5 mg/m <sup>3</sup>	5 mg/m³	N/A	5 mg/m <sup>3</sup>	N/A	5 mg/m <sup>3</sup>	N/A

**Engineering Controls:** Use only with adequate ventilation to keep the airborne concentrations of this material below the recommended exposure standard. Engineering controls also need to keep gas vapor or dust concentrations below any lower explosive limits.

**Environmental Exposure Controls:** Emissions from ventilation of work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual Protection Measures

**Hygiene Measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gasses or dusts. If contact is possible, the

Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. **Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

**Other Skin Protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. **Respiratory Protection:** Use a properly fitted, air-purifying of air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### Section IX – Physical and Chemical Properties

Physical State: Viscous Liquid Color: White Odor: Weak, Characteristic Odor Threshold: Not Available pH: Not Available Melting Point: Not Available **Boiling Point:** Not Available Flash Point: >200.0°F/93.3°C Burning Time: Not Available Burning Rate: Not Available Evaporation Rate: Not Available Flammability (solid, gas): Not Available Lower and Upper Explosive (Flammable) Limits: Not Available Vapor Pressure: Not Available Vapor Density: Not Available (Air = 1) **Relative Density:** Not Determined (Water = 1) Solubility: Partially Soluble in Water Partition Coefficient: n-Octanol/water: Not Available Auto-Ignition temperature: Not Available **Decomposition Temperature:** Not Available **SADT:** Not Available Viscosity: Not Available Molecular Weight: Not Available

## Section X - Stability and Reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients. Chemical Stability: Material is stable at normal temperature and pressure. Conditions to avoid: Avoid excessive heating. Avoid contact with strong oxidizing agent, heat, spark and flames. Incompatibility (materials to avoid): Strong acids, amines, bases, and oxidizing agents. Hazardous Decomposition: May product hazardous carbon oxides, chloro hydrogen.

Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



## Section XI - Toxicological Information

Acute Toxicity:

Product/Ingredient Name Dibutyl Phthalate	<u>Result</u> LD50 Oral LD50 Dermal	<u>Species</u> Rat Rabbit	<u>Dose</u> 8,000 mg/kg 20,000 mg/kg	<u>Exposure</u> - -
Dibenzoyl peroxide	LD50 Oral	Rat	7,710 mg/kg	-

Irritation/Corrosion: Irritant to skin and mucous membranes Sensitization: May cause an allergic reaction when in contact with skin. Mutagenicity: Not classified. Carcinogenicity: Not available. **Reproductive Toxicity:** Not available. Teratogenicity: Not available. Specific Target Organ Toxicity (Single Exposure): No data. Specific Target Organ Toxicity (Repeated Exposure): Not available. Aspiration Hazard: Not available Likely Routes of Exposure: Inhalation, Dermal, Ingestion. **Potential Acute Health Effects:** Eye Contact: May cause eye irritation. Inhalation: Not applicable. Skin Contact: Causes skin irritation. May cause an allergic skin reaction. Ingestion: Not applicable Potential Chronic Health Effects: Not Available. Numerical Measures of Toxicity: Acute Toxicity Estimates: Not available.

## **Section XII - Ecological Information**

Toxicity: Very toxic for aquatic organisms. Persistence and Degradability: Not Available Bioaccumulative Potential: Mobility in Soil: Soil/water Partition Coefficient (Koc): Not available Other Adverse Effects: No known significant effects or critical hazards.

### Section XIII - Disposal Considerations

The information in this section contains generic advice and guidance. The list of identified uses in Section 1 should be consulted for any available use-specific information.

**Disposal Methods:** The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. Disposal of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid disposal. Attempt to use product completely in accordance with intended use. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is no feasible.

**Special Precautions:** This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Do no cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soul, water ways, drains and sewers.

Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



DOT (DEPARTMENT OF TRANSPORTATION) Technical Name: Environmentally Hazardous Substance Hazard Class: 9 NA/UN Number: 3082 Packing Group: III Marine Pollutant: Yes Please refer to DOT regulations for more info.



#### Canada (TDG)

Technical Name: Environmentally Hazardous Substance Hazard Class: 9

NA/UN Number: 3082 Packing Group: III

Please refer to TDG Regulations for more info.

#### International Air Transport Association (IATA)

Technical Name: Environmentally Hazardous Substance Hazard Class: 9 NA/UN Number: 3082 Packing Group: III ERG Code: 9L

#### International Maritime Organization (IMO)

Technical Name: Environmentally Hazardous Substance Hazard Class: 9 NA/UN Number: 3082 Packing Group: III EmS: F-A, S-F Marine Pollutant: Yes Please refer to IMO regulations for more info.

Please refer to IATA regulations for more info.

Marine Pollutant: Yes

**Special Precautions for User:** Transport within users' premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the products know what to do in the event of an accident or spillage.

## **Section XV - Regulatory Information**

United States Federal Regulations:

Sara Title III - Section 311/312	
<u>Criteria</u>	<u>Yes/No</u>
Immediate (Acute) Health Effects:	No
Chronic (Delayed) Health Effects:	Yes
Fire Hazard:	No
Sudden Release of Pressure Hazard:	No
Reactivity:	No

#### State Regulations:

**California Prop 65** - **CALIFORMENTING**: This product can exposure you to chemicals including dibyutyl phthalate, which is known to the state of California to cause reproductive harm. For more information, go to www.P65Warnings.ca.gov

## **Section XVI - Other Information**

Hazardous Material Information System (United States):

Health	1
Flammability	1
Physical Hazards	0

Caution: HMIS® rating are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a

Company Name: Superior Stone Products, Inc. **Product Name: Gold Evolution Colored Hardener – Perfect White** Issue Date: 10/10/2023 Revision Date: 10/10/2023 SDS Number: 228-33104



registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (United States): Flammability: Not Determined Health: Not Determined Instability/Reactivity: Not Determined Special: Not Determined

Reprinted with permission from NFPS 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPS 49 and NFPA 325 which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

MANUFACTURER DISCLAIMER: This information is provided in good faith and is correct to the best of the manufacturers' knowledge as of the date hereof; however, the manufacturer makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. The manufacturer disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.