

# Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 1 of 14

## Gold Evolution Colored Hardener - All Colors

### SECTION 1: Identification

#### Product identifier

**Product name:** Gold Evolution Colored Hardener - All Colors

**Synonyms:** Chameleon, Transparent White, Glacier White, Pure White, Perfect White, Translucent, Transparent Black, Galaxy Black, Oyster, Newport Grey, Graphite, Dusk, Beach, Beige Olimpo, Dark Grey, Dark Brown, Dirty White, Medium Brown, White North, Cloud, Meteor Grey, Stellar Grey, Butterscotch, Alabaster, Aqueous, Arctic White, Zenith, Bisque, Black, Bright White, Brilliant, Cameo, Nacreto, Charcoal, Espresso, Fieldstone, Flint, Midnight, Cygnus Pearl, Magic, Natural, Newport, Earth, Onyx, Pearl, Brownstone, Satin Black, Seashell, Silver, Snow White, Storm Grey, Thunder Grey, Geogris, Tuscan White, White, White Chocolate, White Linen, Desert, Winter White, Shale, Neutral, Misty, Fog, Limestone, Newgale Grey, Khaki, Marble, Sand, Nougat, Chalk, Polar White, Oscuro, Diana Pearl, Raven, New Concrete, Design, Cotton, Iron Grey, Brie, Clamshell, Pearl Grey, Lunar Pearl, Medea, River Rock, Winter

**Product code:** 200-33100 through 200-33185

#### Recommended use of the product and restriction on use

**Relevant identified uses:** Initiator

**Uses advised against:** None Known

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

**Manufacturer:**

**United States**

Superior Stone Products, LLC  
8580 Byron Commerce Drive SW  
Byron Center, Michigan 49315  
616-583-0171  
sds@superiorstoneproducts.com  
www.superiorstoneproducts.com

#### Emergency telephone number:

**United States**

Chemtrec  
1-800-262-8200 (24 Hours a Day/7 Days a Week)

### SECTION 2: Hazard identification

#### Classification in accordance with Canadian Hazardous Products Regulations (HPR) SOR/2022-272:

Skin irritation, category 2  
Eye irritation, category 2A  
Skin sensitization, category 1  
Germ cell mutagenicity, category 2  
Reproductive toxicity, category 1B  
Acute aquatic hazard, category 1  
Chronic aquatic hazard, category 1

# Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 2 of 14

## Gold Evolution Colored Hardener - All Colors

### Label elements

#### Hazard pictogram(s):



**Signal Word:** Danger

#### Hazard statements:

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H341 Suspected of causing genetic defects.
- H360 May damage fertility or the unborn child.
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

#### Precautionary statements:

- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P261 Avoid breathing dust, fumes, gas, mist, vapours or spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P273 Avoid release to the environment.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).
- P332+P313 If skin irritation occurs: Get medical advice or attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice or attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice or attention.
- P308+P313 If exposed or concerned: Get medical advice or attention.
- P391 Collect spillage.
- P405 Store locked up.
- P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

#### Health Hazards Not Otherwise Classified (HHNOC):

None

#### Physical Hazards Not Otherwise Classified (PHNOC):

None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
----------------	------	----------

# Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 3 of 14

## Gold Evolution Colored Hardener - All Colors

CAS number: 94-36-0	Benzoyl peroxide	10-15
CAS number: 84-74-2	Dibutyl phthalate	1-15
CAS number: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	3-15
CAS number: 2210-79-9	2,3-epoxypropyl o-tolyl ether	<5
CAS number: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	<0.5

**Additional Information:** None

## SECTION 4: First-aid measures

### Description of first-aid measures

#### General notes:

Show this Safety Data Sheet to the doctor in attendance.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After eye contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

#### After ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

#### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Exposure may cause genetic defects. Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems,

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 4 of 14

### Gold Evolution Colored Hardener - All Colors

altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

#### Immediate medical attention and special treatment

##### Specific treatment:

Not determined or not available.

##### Notes for the doctor:

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

##### Unsuitable extinguishing media:

Do not use water jet.

#### Specific hazards arising from the product:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and storage

#### Precautions for safe handling:

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 5 of 14

### Gold Evolution Colored Hardener - All Colors

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Alberta	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
British Columbia	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Manitoba	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Ontario	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Quebec	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Saskatchewan	Dibutyl phthalate	84-74-2	15-Minute Contamination Limit: 10 mg/m <sup>3</sup>
	Dibutyl phthalate	84-74-2	8-Hour Contamination Limit: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour Contamination Limit: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	15-Minute Contamination Limit: 10 mg/m <sup>3</sup>
New Brunswick	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m <sup>3</sup>
	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Prince Edward Island	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>
Nova Scotia	Benzoyl peroxide	94-36-0	8-Hour TWA: 5 mg/m <sup>3</sup>

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 6 of 14

### Gold Evolution Colored Hardener - All Colors

below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Individual protection measures, such as personal protective equipment (PPE)

##### Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

##### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Physical State:</b>	Viscous Liquid
<b>Color:</b>	Various
<b>Odor:</b>	Weak, Characteristic
<b>pH-value:</b>	Not determined or not available.
<b>Melting/Freezing point:</b>	Not determined or not available.
<b>Boiling point/range:</b>	Not determined or not available.
<b>Flash point:</b>	>200°F/93.3°C
<b>Flammability (solid, gaseous):</b>	Not determined or not available.
<b>Explosion limit upper:</b>	Not determined or not available.
<b>Explosion limit lower:</b>	Not determined or not available.
<b>Vapor pressure:</b>	Not determined or not available.
<b>Density:</b>	Not determined or not available.
<b>Relative density:</b>	Not determined or not available.
<b>Solubilities:</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water):</b>	Not determined or not available.
<b>Auto/Self-ignition temperature:</b>	Not determined or not available.
<b>Decomposition temperature:</b>	Not determined or not available.
<b>Kinematic viscosity:</b>	Not determined or not available.
<b>Relative vapor density:</b>	Not determined or not available.

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 7 of 14

### Gold Evolution Colored Hardener - All Colors

<b>Particle characteristics:</b>	Not determined or not available.
----------------------------------	----------------------------------

#### Other information

No additional information

### SECTION 10: Stability and reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical stability:

Stable under recommended handling and storage conditions.

#### Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible materials:

None known.

#### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Dibutyl phthalate	oral	LD50 Rat: 6279 mg/kg
	dermal	LD50 Rabbit: >20,000 mg/kg
	inhalation	LC50 Rat: $\geq$ 15.68 mg/L (4 hr [Aerosol])
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	oral	LD50 Rat: 11400 mg/kg
	dermal	LD50 Rabbit: > 22800 mg/kg
2,3-epoxypropyl o-tolyl ether	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: > 6.1 ppmV (4 hr [vapour])
	dermal	LD50 Rabbit: >2000 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	oral	LD50 Rat: >2000 mg/kg
Benzoyl peroxide	oral	LD50 Rat: 7710 mg/kg

#### Skin corrosion/irritation

##### Assessment:

Causes skin irritation.

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 8 of 14

### Gold Evolution Colored Hardener - All Colors

**Product data:**

No data available.

**Substance data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes skin irritation.
2,3-epoxypropyl o-tolyl ether	Causes skin irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes skin irritation.

**Serious eye damage/irritation****Assessment:**

Causes serious eye irritation.

**Product data:**

No data available.

**Substance data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes serious eye irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes eye irritation.
Benzoyl peroxide	Causes serious eye irritation.

**Respiratory or skin sensitization****Assessment:**

May cause an allergic skin reaction.

**Product data:**

No data available.

**Substance data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	May cause an allergic skin reaction.
2,3-epoxypropyl o-tolyl ether	May cause an allergic skin reaction.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	May cause an allergic skin reaction.
Benzoyl peroxide	May cause an allergic skin reaction.

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 9 of 14

### Gold Evolution Colored Hardener - All Colors

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Dibutyl phthalate	Not Applicable
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
2,3-epoxypropyl o-tolyl ether	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
Benzoyl peroxide	Group 3

#### National Toxicology Program (NTP):

Name	Classification
Dibutyl phthalate	Not Applicable
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
2,3-epoxypropyl o-tolyl ether	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
Benzoyl peroxide	Not Applicable

#### Germ cell mutagenicity

**Assessment:**

Suspected of causing genetic defects.

**Product data:**

No data available.

**Substance data:**

Name	Result
2,3-epoxypropyl o-tolyl ether	Suspecting of causing genetic defects.

#### Reproductive toxicity

**Assessment:**

May damage fertility or the unborn child.

**Product data:**

No data available.

**Substance data:**

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 10 of 14

### Gold Evolution Colored Hardener - All Colors

Name	Result
Dibutyl phthalate	May damage the unborn child; Suspected of damaging fertility.

#### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

#### Other information:

No additional information

### SECTION 12: Ecological information

#### Acute (short-term) toxicity

**Assessment:**

Very toxic to aquatic life.

**Product data:** No data available.

**Substance data:**

Name	Result
Dibutyl phthalate	Fish LC50 Fathead minnow: 0.92 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 2.99 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 1.2 mg/L (72 hr [biomass])
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Aquatic Invertebrates EC50 Daphnia magna: 2 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Scenedesmus capricornutum: 9.4 mg/L (72 hr [biomass])
2,3-epoxypropyl o-tolyl ether	Aquatic Plants EC50 Raphidocelis subcapitata: 5.1 mg/L (72 hr [cell number])
	Fish LC50 Oncorhynchus mykiss: 2.8 - 5.1 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 3.3 mg/L (48 hr [mobility])

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 11 of 14

### Gold Evolution Colored Hardener - All Colors

Name	Result
Benzoyl peroxide	Aquatic Invertebrates EC50 Daphnia magna: 0.11 mg/L (48 hr [mobility])
	Fish LC50 Oncorhynchus mykiss: 0.06 mg/L (96 hr [mortality])
	Aquatic Plants EC50 Raphidocelis subcapitata: 0.071 mg/L (72 hr [growth rate])

#### Chronic (long-term) toxicity

##### Assessment:

Very toxic to aquatic life with long lasting effects.

**Product data:** No data available.

##### Substance data:

Name	Result
Dibutyl phthalate	Fish NOEC Raphidocelis subcapitata: 5 mg/L (72 hr [growth rate])
	Aquatic Invertebrates NOEC Daphnia magna: 0.158 mg/L (21d [reproduction])
Benzoyl peroxide	Aquatic Invertebrates NOEC Daphnia magna: 0.01 mg/L (21 d [reproduction])

#### Persistence and degradability

**Product data:** No data available.

##### Substance data:

Name	Result
Dibutyl phthalate	The substance is readily biodegradable .81% degradation in water, measured by O2 consumption, after 28 days.
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance is not readily biodegradable. 5% degradation in water, measured by O2 consumption after 28 days.
2,3-epoxypropyl o-tolyl ether	The substance is not readily biodegradable. 1- 4% degradation in water, measured by CO2 evolution, after 28 days.
Benzoyl peroxide	The substance is readily biodegradable in water. 71% biodegradation in water, measured by oxygen consumption, after 28 days.

#### Bioaccumulative potential

**Product data:** No data available.

##### Substance data:

Name	Result
Dibutyl phthalate	The substance is not expected to bioaccumulate (BCF: 1.8 L/kg ww, species :Cyprinus carpio).
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance has the potential to bioaccumulate (log Pow: 3 at 25 °C).
2,3-epoxypropyl o-tolyl ether	The substance is not expected to bioaccumulate (log Pow=2.5 at 21 °C).
Benzoyl peroxide	The substance is not expected to bioaccumulate (BCF: 89) [estimated].

#### Mobility in soil

**Product data:** No data available.

##### Substance data:

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 12 of 14

### Gold Evolution Colored Hardener - All Colors

Name	Result
Dibutyl phthalate	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 1157, QSAR substance data).
2,3-epoxypropyl o-tolyl ether	The substance is moderately mobile, therefore, there is moderate potential for adsorption to soil and sediment (Koc:210 at Ambient temperature).
Benzoyl peroxide	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 3.8 dimensionless at 22 °C).

### Results of PBT and vPvB assessment

#### Product data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance data:

##### PBT assessment:

Dibutyl phthalate	Under assessment as Persistent, Bioaccumulative and Toxic (PBT list).
2,3-epoxypropyl o-tolyl ether	The substance is not PBT.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not PBT.
Benzoyl peroxide	The substance is not PBT.

##### vPvB assessment:

Dibutyl phthalate	The substance is not vPvB.
2,3-epoxypropyl o-tolyl ether	The substance is not vPvB.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not vPvB.
Benzoyl peroxide	The substance is not vPvB.

**Other adverse effects:** No additional information

### SECTION 13: Disposal considerations

#### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

#### Contaminated packages:

Not determined or not applicable.

### SECTION 14: Transport information

#### Canadian Transportation of Dangerous Goods (TDG)

UN number	3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, n.o.s. Dibutyl Phthalate


## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8


Initial preparation date: 02.26.2026

Page 13 of 14


### Gold Evolution Colored Hardener - All Colors

UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	

### International Maritime Dangerous Goods (IMDG) Code

UN number	3082	
UN proper shipping name	Environmentally Hazardous Substance, Liquid, n.o.s. Dibutyl Phthalate	
UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
EMS number	F-A, S-F	
Stowage category	A	
Limited quantity	5 L	

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	3082	
UN proper shipping name	Environmentally Hazardous Substance, Liquid, n.o.s. Dibutyl Phthalate	
UN transport hazard class(es)	9	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
ERG code	9L	
Excepted quantities	E1	
Passenger and cargo	450 L	
Cargo aircraft only	450 L	
Limited quantity	30 KG G	

## SECTION 15: Regulatory information

### Canada regulations

**Domestic substances list (DSL):** All ingredients are listed or exempt.

**Non-domestic substances list (NDSL):** None of the ingredients are listed.

**Additional information:** No additional information.

## Safety Data Sheet

According to Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8

Initial preparation date: 02.26.2026

Page 14 of 14

### Gold Evolution Colored Hardener - All Colors

#### SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with the Canadian Hazardous Products Regulations SOR/2022-272, GHS Revision 7 and certain provisions of GHS Revision 8. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 02.26.2026

**End of Safety Data Sheet**