

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 1 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

SECTION 1: Identification

Product Identifier

Product Name: Gold Evolution EXT 250 ml Cart - Part B - All Colors

Synonyms: Chameleon, Transparent White, Glacier White, Pure White, Perfect White, Translucent, Transparent Black, Galaxy Black, Oyster, Newport Grey, Graphite, Dusk, Beach, Beige Olimpo, Dark Grey, Dark Brown, Dirty White, Medium Brown, White North, Cloud, Meteor Grey, Stellar Grey, Butterscotch, Alabaster, Aqueous, Arctic White, Zenith, Bisque, Black, Bright White, Brilliant, Cameo, Nacreto, Charcoal, Espresso, Fieldstone, Flint, Midnight, Cygnus Pearl, Magic, Natural, Newport, Earth, Onyx, Pearl, Brownstone, Satin Black, Seashell, Silver, Snow White, Storm Grey, Thunder Grey, Geogris, Tuscan White, White, White Chocolate, White Linen, Desert, Winter White, Shale, Neutral, Misty, Fog, Limestone, Newgale Grey, Khaki, Marble, Sand, Nougat, Chalk, Polar White, Oscuro, Diana Pearl, Raven, New Concrete, Design, Cotton, Iron Grey, Brie, Clamshell, Pearl Grey, Lunar Pearl, Medea, River Rock, Winter

Product code: 200-33500 through 200-33585



Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Initiator

Uses Advised Against: None Known

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Superior Stone Products, LLC
8580 Byron Commerce Drive SW
Byron Center, Michigan 49315
616-583-0171
sds@superiorstoneproducts.com
www.superiorstoneproducts.com

Emergency Telephone Number:

United States

Chemtrec
1-800-262-8200 (24 Hours a Day/7 Days a Week)

SECTION 2: Hazard(s) Identification

GHS Classification:

Eye irritation, category 2A
Skin sensitization, category 1
Reproductive toxicity, category 1B
Acute aquatic hazard, category 1
Chronic aquatic hazard, category 1

Label elements

Hazard Pictograms:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 2 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors



Signal Word: Danger

Hazard statements:

- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H360 May damage fertility or the unborn child.
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements:

- P264 Wash skin thoroughly after handling.
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
- P272 Contaminated work clothing must not be allowed out of the workplace
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P273 Avoid release to the environment
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337+P313 If eye irritation persists: Get medical advice or attention.
- P302+P352 IF ON SKIN: Wash with plenty of water and soap.
- P333+P313 If skin irritation or rash occurs: Get medical advice or attention.
- P321 Specific treatment (see supplemental information on the product label).
- P363 Wash contaminated clothing before reuse
- P308+P313 If exposed or concerned: Get medical advice or attention.
- P391 Collect spillage
- P405 Store locked up
- P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 94-36-0	Benzoyl peroxide	10-15
CAS Number: 84-74-2	Dibutyl phthalate	1-15
CAS Number: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	<15
CAS Number: 2210-79-9	2,3-epoxypropyl o-tolyl ether	<5
CAS Number: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	<1

Additional Information: None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 3 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 4 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Do not store in temperatures greater than 100°F

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	Dibutyl phthalate	84-74-2	IDLH: 4000 mg/m ³
	Dibutyl phthalate	84-74-2	REL-TWA: 5 mg/m ³ ([up to 10 hr])
	Benzoyl peroxide	94-36-0	IDLH: 1500 mg/m ³
	Benzoyl peroxide	94-36-0	REL-TWA: 5 mg/m ³
OSHA	Dibutyl phthalate	84-74-2	8-Hour TWA-PEL: 5 mg/m ³

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 5 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Benzoyl peroxide	94-36-0	8-Hour TWA-PEL: 5 mg/m ³
United States(California)	Dibutyl phthalate	84-74-2	8-Hour TWA-PEL: 5 mg/m ³
	Benzoyl peroxide	94-36-0	8-Hour TWA-PEL: 5 mg/m ³
ACGIH	Dibutyl phthalate	84-74-2	8-Hour TWA: 5 mg/m ³

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Translucent/White Viscous Liquid
Odor	Weak, characteristic
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	>200.0°F/93.3°C
Evaporation rate	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 6 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Partially soluble in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Dibutyl phthalate	oral	LD50 Rat: 6279 mg/kg
	dermal	LD50 Rabbit: >20,000 mg/kg
	inhalation	LC50 Rat: \geq 15.68 mg/L (4 hr [Aerosol])
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	oral	LD50 Rat: 11400 mg/kg
	dermal	LD50 Rabbit: > 22800 mg/kg

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 7 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Name	Route	Result
2,3-epoxypropyl o-tolyl ether	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: > 6.1 ppmV (4 hr [vapour])
	dermal	LD50 Rabbit: >2000 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	oral	LD50 Rat: >2000 mg/kg
Benzoyl peroxide	oral	LD50 Rat: 7710 mg/kg

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes skin irritation.
2,3-epoxypropyl o-tolyl ether	Causes skin irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes skin irritation.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:

No data available.

Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes serious eye irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes serious eye irritation.
Benzoyl peroxide	Causes serious eye irritation.

Respiratory or Skin Sensitization

Assessment:

May cause an allergic skin reaction.

Product Data:

No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 8 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	May cause an allergic skin reaction.
2,3-epoxypropyl o-tolyl ether	May cause an allergic skin reaction.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	May cause an allergic skin reaction.
Benzoyl peroxide	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Dibutyl phthalate	Not Applicable
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
2,3-epoxypropyl o-tolyl ether	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
Benzoyl peroxide	Group 3

National Toxicology Program (NTP):

Name	Classification
Dibutyl phthalate	Not Applicable
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
2,3-epoxypropyl o-tolyl ether	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
Benzoyl peroxide	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 9 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Name	Result
2,3-epoxypropyl o-tolyl ether	Suspecting of causing genetic defects.

Reproductive Toxicity

Assessment:

May damage fertility or the unborn child.

Product Data:

No data available.

Substance Data:

Name	Result
Dibutyl phthalate	May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Very toxic to aquatic life.

Product Data: No data available.

Substance Data:

Name	Result
Dibutyl phthalate	Fish LC50 Fathead minnow: 0.92 mg/L (96 hr [mortality])
	Aquatic Invertebrates EC50 Daphnia magna: 2.99 mg/L (48 hr [mortality])
	Aquatic Plants EC50 Raphidocelis subcapitata: 2.12 mg/L (72 hr [biomass])
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Aquatic Invertebrates EC50 Daphnia magna: 2 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Scenedesmus capricornutum: 9.4 mg/L (72 hr [biomass])

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 10 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Name	Result
2,3-epoxypropyl o-tolyl ether	Aquatic Plants EC50 Raphidocelis subcapitata: 5.1 mg/L (72 hr [cell number])
	Fish LC50 Oncorhynchus mykiss: 2.8 - 5.1 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 3.3 mg/L (48 hr [mobility])
Benzoyl peroxide	Aquatic Invertebrates EC50 Daphnia magna: 0.11 mg/L (48 hr [mobility])
	Fish LC50 Oncorhynchus mykiss: 0.06 mg/L (96 hr [mortality])
	Aquatic Plants EC50 Raphidocelis subcapitata: 0.071 mg/L (72 hr [growth rate])

Chronic (Long-Term) Toxicity

Assessment:

Very toxic to aquatic life with long lasting effects.

Product Data: No data available.

Substance Data:

Name	Result
Dibutyl phthalate	Aquatic Invertebrates NOEC Daphnia magna: 0.158 mg/L (21 d [reproduction])
	Aquatic Plants NOEC Raphidocelis subcapitata: 5 mg/L (72 hr [growth rate])
Benzoyl peroxide	Aquatic Invertebrates NOEC Daphnia magna: 0.01 mg/L (21 d [reproduction])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Dibutyl phthalate	The substance is readily biodegradable .81% degradation in water, measured by O2 consumption, after 28 days.
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance is not readily biodegradable. 5% degradation in water, measured by O2 consumption after 28 days.
2,3-epoxypropyl o-tolyl ether	The substance is not readily biodegradable. 1- 4% degradation in water, measured by CO2 evolution, after 28 days.
Benzoyl peroxide	The substance is readily biodegradable in water. 71% biodegradation in water, measured by oxygen consumption, after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Dibutyl phthalate	The substance is not expected to bioaccumulate (BCF: 1.8 L/kg ww, species :Cyprinus carpio).
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance has the potential to bioaccumulate (log Pow: 3 at 25 °C).
2,3-epoxypropyl o-tolyl ether	The substance is not expected to bioaccumulate (log Pow=2.5 at 21 °C).
Benzoyl peroxide	The substance is not expected to bioaccumulate (BCF: 89) [estimated].

Mobility in Soil

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 11 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

Product Data: No data available.

Substance Data:

Name	Result
Dibutyl phthalate	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 1157, QSAR substance data).
2,3-epoxypropyl o-tolyl ether	The substance is moderately mobile, therefore, there is moderate potential for adsorption to soil and sediment (Koc:210 at Ambient temperature).
Benzoyl peroxide	The substance is slightly mobile, therefore, adsorption to soil and sediment is expected (log Koc: 3.8 dimensionless at 22 °C).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Dibutyl phthalate	Under assessment as Persistent, Bioaccumulative and Toxic (PBT list).
2,3-epoxypropyl o-tolyl ether	The substance is not PBT.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not PBT.
Benzoyl peroxide	The substance is not PBT.

vPvB assessment:

Dibutyl phthalate	The substance is not vPvB.
2,3-epoxypropyl o-tolyl ether	The substance is not vPvB.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not vPvB.
Benzoyl peroxide	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities


Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	3082
UN Proper Shipping Name	Environmentally Hazardous Substance, n.o.s. dibutyl phthalate
UN Transport Hazard Class(es)	9



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial Preparation Date: 02.26.2026

Page 12 of 13


Gold Evolution EXT 250 ml Cart - Part B - All Colors

Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
Passenger Air/Rail	No limit
Cargo Aircraft Only	No limit
Stowage Category	A

International Maritime Dangerous Goods (IMDG)

UN Number	3082
UN Proper Shipping Name	Environmentally Hazardous Substance, n.o.s. dibutyl phthalate
UN Transport Hazard Class(es)	9 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
EmS Number	F-A, S-F
Stowage Category	Category D, SW2
Excepted Quantities	E1
Limited Quantity	5 L

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	3082
UN Proper Shipping Name	Environmentally Hazardous Substance, n.o.s. dibutyl phthalate
UN Transport Hazard Class(es)	9 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
ERG Code	9L
Excepted Quantities	E1
Passenger and Cargo	450 L
Cargo Aircraft Only	450 L
Limited Quantity	30 kg G

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

84-74-2	Dibutyl phthalate	Listed
---------	-------------------	--------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.26.2026

Page 13 of 13

Gold Evolution EXT 250 ml Cart - Part B - All Colors

94-36-0	Benzoyl peroxide	Listed
---------	------------------	--------

CERCLA:

84-74-2	Dibutyl phthalate	Listed	10 lbs
---------	-------------------	--------	--------

RCRA:

84-74-2	Dibutyl phthalate	Listed	U069
---------	-------------------	--------	------

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

84-74-2	Dibutyl phthalate	Listed
94-36-0	Benzoyl peroxide	Listed

New Jersey Right to Know:

84-74-2	Dibutyl phthalate	Listed
94-36-0	Benzoyl peroxide	Listed


New York Right to Know:

84-74-2	Dibutyl phthalate	Listed
94-36-0	Benzoyl peroxide	Listed

Pennsylvania Right to Know:

84-74-2	Dibutyl phthalate	Listed
94-36-0	Benzoyl peroxide	Listed

California Proposition 65:

 **WARNING:** This product can expose you to Di-n-butyl phthalate (DBP); which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial Preparation Date: 02.26.2026

End of Safety Data Sheet